



# STAS minirail

## sleek and strong

STAS minirail is characterised by its extremely slim, narrow design and innovative mounting method.

The rail itself is just 16 mm in height, yet it can carry up to 25 kg per linear metre. Thanks to an innovative screw, the STAS clipscrew, the rail can easily be fixed to the wall.

STAS minirail is perfect for creating an elegant, unobtrusive hanging system for light to mediumweight objects.



- dimensions 9 x 16 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 25 kg/m
- 5 years warranty

SCAN FOR MANUAL



### Parts

#### STAS minirail

RM10150 150 cm white  
 RM10120 200 cm white  
 RM10130 300 cm white

RM30150 150 cm alu  
 RM30120 200 cm alu  
 RM30130 300 cm alu

RM20150 150 cm black  
 RM20120 200 cm black  
 RM20130 300 cm black



#### STAS minirail combicap

RY10200 white  
 RY30200 alu  
 RY20200 black  
 (2 x end cap / 1 x corner cap)



#### STAS minirail rail connector

RD10200

#### STAS plug

SR50700



#### STAS minirail clipscrew torx

SR10200  
 (metal, 3 per m<sup>2</sup>)



# STAS hooks and cords

After selecting a rail, choose a cord to hook anywhere into the rail and a hook to slide over the cord to the desired height.

The cords and hooks on this page can be combined with all STAS rail types, with the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.

## Cords



**STAS cobra with perlon cord**  
 CP10110 100 cm  
 CP10115 150 cm  
 CP10120 200 cm  
 CP10125 250 cm  
 CP10130 300 cm  
 CP10140 400 cm



**STAS cobra with steel cable**  
 SC10110 100 cm  
 SC10115 150 cm  
 SC10120 200 cm  
 SC10125 250 cm  
 SC10130 300 cm  
 SC10140 400 cm



**STAS cobra with steel cable white**  
 SC10220 200 cm white  
 SC20220 200 cm black

## Hooks



**STAS smartspring**  
 HA30900



**STAS zipper**  
 HA30501



**STAS zipper pro**  
 HA30530



## Possible combinations



max.  
4 kg

**perlon cord + smartspring**



max.  
15 kg

**perlon cord + zipper or zipper pro**



max.  
20 kg

**steel cable + zipper or zipper pro**



max.  
10 kg

**steel cable white or black + zipper or zipper pro**

### Important note regarding warranty and liability

Products of STAS must be installed and used only in strict accordance with the latest version of the STAS picture hanging systems installation guide, available for download at [www.stasgroup.com](http://www.stasgroup.com). It is the responsibility of the installer to select the correct fasteners for the particular installation. Improper installation, misuse, misapplication or otherwise failing to completely follow seller's instructions and warnings may cause product malfunction, property damage or personal injury.

---

### STAS products TÜV certified

STAS strives day after day for products of the highest quality. To guarantee the quality and independence of products, STAS has commissioned TÜV Netherlands for the testing of its products. TÜV Netherlands is an independent and recognized body that assesses the quality of products according to a set standard and has extensive experience in the field of product safety and product inspections. Under the direction of TÜV, a large part of our range of products has been tested for quality and correctness of the specified features. All products where the TÜV logo is shown, have actually been tested by TÜV Netherlands and approved for the capacity that is stated in the features of that product.



### STAS picture hanging systems

Esp 245 | 5633 AD Eindhoven | PO box 1049 | 5602 BA Eindhoven | The Netherlands  
T +31 (0)40 292 48 48 | [info@stasgroup.com](mailto:info@stasgroup.com) | [www.stasgroup.com](http://www.stasgroup.com)